



Established 1980

Dynawest Limited, Jaylyn House, Elton Park, Hadleigh Road, Ipswich, Suffolk, IP2 0DG United Kingdom.

T: +44 (0) 1473 230248 | F: +44 (0) 1473 230256

W: See below | E: sales@dynamawest.co.uk

Registered Address: Unit 1, Claydon Business Park, Great Blakenham, Ipswich, IP6 0NL UK
Company No. 01513481 | Registered in England | VAT No. GB 368 3713 28

All offers subject to final confirmation. All information is confidential for addressee only and given in good faith without liability. Intellectual Property rights exists without limitation. Our terms and conditions of business (available on request) apply to all transactions. We will not accept any waivers nor exemptions. English Law exclusively within the jurisdiction of English Courts will apply.

Exporters, International Traders, Importers, Agents, Suppliers World Wide across Industry to Major Companies including Manufacturers, Retailers, Distributors, Government Departments Covering wide Range of Products. Our Speciality Cost Savings, Custom Made Solutions & Special Projects a speciality


Customers Large or Small is the reason why we are in business since 1980. We are a Financially Sound Family Business.

*Mission focus: Determine the requirements of the Customer and satisfy them to the very best of our ability
Quality Products Quality Customer Care competitively priced.*


Only the Best from Dynamawest.

DYNAWEST LTD PRODUCT ID DYNAR – R PAVE™ SPECIFICATION

BLACK



GREEN



THE NEW PERMEABLE PAVING SOLUTION

DIVISIONS OF DYNAWEST LIMITED INCLUDE:

www.dynamawestmegadeals.co.uk | www.annierudys.com.

www.dynamawest.com | www.dynamawestpalletboxes.co.uk | www.dynamawestmatting.co.uk | www.dynamawestenvironmental.co.uk

www.dynamawesttrading.co.uk | www.dynamawestplasticpallets.co.uk | www.dynamawestwoodenpallets.co.uk

www.dynamawestspillcontrol.co.uk | www.dynamawestplasticcrates.co.uk | www.dynamawest.co.uk | www.totesolutions.co.uk

Member of the Chartered Institute of Marketing, Manufacturers Agents Association International Union of Agents & Broker, British Agents Review, Bottlers Association, Federation of Small Business, Suffolk Chamber of Commerce.

Winners of the MAA Award for 2011 Unitfr \Kingdon and Northern Ireland

Motto Floreat qui laborat

(He who labours prospers)

SPECIFICATION

Tile Dimensions:	33 cm x 33 cm x 4 cm
Wall Thickness :	33 mm
Wall Height:	40 mm
Weight per tile:	0.55 – 0.57 kg.
Weight per m/2:	5.13 kg.
Tiles per m/2 :	9 tiles (5.0 kg – 5.1 kg)
Compression Strength.	Up to 10 tonnes axle load in Accordance with DIN 1072 Up to 11.4 tonnes axle load Tested to BS EN 124
Load Bearing:	Up to 236 tonnes per square meter
PACKING :	Standard Quantity on a Pallet is 50 Square meters (this is the Maximum we can go to, to fit On an articulated lorry
Natural stability:	Temperature range – 50 ° C to 90° C
Dimension Changes:	Approx. 0.5% (at a standard Temperature + 20°C up to 80°C
Humidity Absorption:	0.01%
Environmental Compatibility	Harmless, groundwater neutral, weatherproof & UV resistant
Solubility:	Resistant against acid and leaching, Alcohol, oil and petrol (strewing salt, ammonia and acid rain)

Environmental benefits:

- SUDS compliment, *R-Pave™* porous paving with grass or gravel can improve project ratings in accordance with BREAM and the Code for Sustainable Homes
- When laid, *R-Pave™* offers excellent water permeation though the surface. It reduces the potential for clogging compared to an in situ concrete paving system
- Durable, non-rotting and weather resistant with an expected product life in excess of 10 years

- The lightweight interlocking profile design enables ease and speed of installation. Optimal laying time is 100m² per person per hour onto a prepared base
- Load-bearing capability at 250-320 tonnes/m² on a correctly specified and compacted sub-base
- Low maintenance and cost effective throughout product life
- NBS specification support in accordance with Q23 for gravel surfacing or Q30 for seeding/turfing
- R-Pave™ conforms to Part M of the Building Regulations and is Disability Discrimination Act compliant when it is correctly laid and maintained
- R-Pave™ is manufactured using 100% UK plastic waste and is fully recyclable at the end of its useful life

ONLY THE BEST FROM Dynawest Ltd EST .1980

Quality products, Customer care and Competitive prices

We will NOT Compromise quality for Price

Contact: sales@dynawest.co.uk

DIVISIONAL WEB SITES

www.dynawestmegadeals.co.uk
www.dynawest.com | www.dynawestpalletboxes.co.uk | www.dynawestmatting.co.uk |
www.dynawestenvironmental.co.uk
www.dynawesttrading.co.uk | www.dynawestplasticpallets.co.uk |
www.dynawestwoodenpallets.co.uk | www.dynawestspillcontrol.co.uk |
www.dynawestplasticcrates.co.uk | www.dynawest.co.uk | www.totesolutions.co.uk |
www.annierudys.com

Please note Intellectual property rights exists.

All offers subject to final confirmation. All information is confidential for addressee only and given in good faith without liability. Our terms and conditions of business (available on request) apply to all transactions. We will not accept any waivers nor exemptions.

English Law exclusively within the jurisdiction of English Courts will apply.